

# Compatibility chart

**FLUKE**®

This is an interactive pdf. Click on the tool name to reveal the Fluke Connect® product compatibility.

Fluke Connect® tools		Connects with:				
<b>3000 FC Digital Multimeter</b>						
a3000 FC AC Current Clamp Meter			3000 FC Digital Multimeter*	a3000 FC Clamp	a3001 FC Clamp	a3002 FC Module
a3001 FC AC Current Clamp w/iFlex						
a3002 FC AC/DC Current Meter						
a3003 FC 2000 A DC Current Clamp						
a3004 FC 4-20 mA DC Clamp Meter						
v3000 FC AC Voltage Meter						
v3001 FC DC Voltage Meter						
t3000 FC Temperature Meter						
805 FC Vibration Meter						
Thermal imagers	Ti400, Ti300 and Ti200					
	TiS65, TiS60, TiS55, TiS50, TiS45, TiS40, TiS20 and TiS10					
	TiX560 and TiX520					
	Ti125, Ti110, Ti105 and Ti100					
	Ti95 and Ti90					
<b>Fluke Connect® accessories</b>						
ir3000 FC Wireless Connector						
pc3000 FC PC Adapter						
Wireless FC SD Card						
<b>Fluke Connect® software</b>						
Fluke Connect App - iOS and Android™						
SW3000 FC PC Software						
						
		Fluke Connect App: iOS (4s and later with 8.0 operating system); Android (4.3 and up)		pc3000 FC PC Adapter/ SW3000 FC Software*		
		<b>Includes:</b> TL175 Test Leads (red/black), AC175 Alligator clips (red/black), 3-AA batteries (installed) and information pack				
		<b>Compatible with CNX:</b> No				
		<b>*Requirements:</b> 3000 FC DMM must be in module mode to connect with another 3000 FC DMM, Ti400/300/200/TiX560/TiX520 and TiSxx Series or with the Fluke Connect app; SW3000 FC PC Software requires the PC adapter				



# Compatibility chart

**FLUKE**®

This is an interactive pdf. Click on the tool name to reveal the Fluke Connect® product compatibility.

Fluke Connect® tools		Connects with:			
3000 FC Digital Multimeter					
a3000 FC AC Current Clamp Meter					
a3001 FC AC Current Clamp w/iFlex					
a3002 FC AC/DC Current Meter					
a3003 FC 2000 A DC Current Clamp					
a3004 FC 4-20 mA DC Clamp Meter					
v3000 FC AC Voltage Meter					
v3001 FC DC Voltage Meter					
t3000 FC Temperature Meter					
805 FC Vibration Meter					
Thermal imagers	Ti400, Ti300 and Ti200	 3000 FC Digital Multimeter	 Ti400, Ti300 and Ti200	 TiS65, TiS60, TiS55, TiS50, TiS45, TiS40, TiS20 and TiS10	 TiX560 and TiX520
	TiS65, TiS60, TiS55, TiS50, TiS45, TiS40, TiS20 and TiS10				
	TiX560 and TiX520				
	Ti125, Ti110, Ti105 and Ti100				
	Ti95 and Ti90				
Fluke Connect® accessories		 Fluke Connect App: iOS (4s and later with 8.0 operating system); Android (4.3 and up)	 pc3000 FC PC Adapter/ SW3000 FC Software*		
ir3000 FC Wireless Connector					
pc3000 FC PC Adapter					
Wireless FC SD Card					
Fluke Connect® software					
Fluke Connect App - iOS and Android™					
SW3000 FC PC Software					

<b>Includes:</b> 2-AA batteries (installed), information pack
<b>Compatible with CNX:</b> No
<b>*Requirements:</b> SW3000 FC PC Software requires the PC adapter





# Compatibility chart

**FLUKE®**

This is an interactive pdf. Click on the tool name to reveal the Fluke Connect® product compatibility.

Fluke Connect® tools		Connects with:			
3000 FC Digital Multimeter					
a3000 FC AC Current Clamp Meter					
a3001 FC AC Current Clamp w/iFlex					
a3002 FC AC/DC Current Meter					
a3003 FC 2000 A DC Current Clamp					
a3004 FC 4-20 mA DC Clamp Meter					
v3000 FC AC Voltage Meter					
v3001 FC DC Voltage Meter					
t3000 FC Temperature Meter					
805 FC Vibration Meter					
Thermal imagers	Ti400, Ti300 and Ti200	 3000 FC Digital Multimeter	 Ti400, Ti300 and Ti200	 TiS65, TiS60, TiS55, TiS50, TiS45, TiS40, TiS20 and TiS10	 TiX560 and TiX520
	TiS65, TiS60, TiS55, TiS50, TiS45, TiS40, TiS20 and TiS10				
	TiX560 and TiX520				
	Ti125, Ti110, Ti105 and Ti100				
	Ti95 and Ti90				
Fluke Connect® accessories		 Fluke Connect App: iOS (4s and later with 8.0 operating system); Android (4.3 and up)	 pc3000 FC PC Adapter/ SW3000 FC Software*		
ir3000 FC Wireless Connector					
pc3000 FC PC Adapter					
Wireless FC SD Card					
Fluke Connect® software					
Fluke Connect App - iOS and Android™					
SW3000 FC PC Software					

**Includes:** 1x iFlex 10" coil, 2-AA batteries (installed), one magnet hanging strap and information pack

**Compatible with CNX:** No

**\*Requirements:** SW3000 FC PC Software requires the PC adapter



# Compatibility chart

**FLUKE®**

This is an interactive pdf. Click on the tool name to reveal the Fluke Connect® product compatibility.

Fluke Connect® tools	
3000 FC Digital Multimeter	
a3000 FC AC Current Clamp Meter	
a3001 FC AC Current Clamp w/iFlex	
a3002 FC AC/DC Current Meter	
a3003 FC 2000 A DC Current Clamp	
a3004 FC 4-20 mA DC Clamp Meter	
v3000 FC AC Voltage Meter	
v3001 FC DC Voltage Meter	
t3000 FC Temperature Meter	
805 FC Vibration Meter	
Thermal imagers	Ti400, Ti300 and Ti200
	TiS65, TiS60, TiS55, TiS50, TiS45, TiS40, TiS20 and TiS10
	TiX560 and TiX520
	Ti125, Ti110, Ti105 and Ti100
	Ti95 and Ti90
Fluke Connect® accessories	
ir3000 FC Wireless Connector	
pc3000 FC PC Adapter	
Wireless FC SD Card	
Fluke Connect® software	
Fluke Connect App - iOS and Android™	
SW3000 FC PC Software	

**Connects with:**



3000 FC Digital Multimeter



Ti400, Ti300 and Ti200



TiS65, TiS60, TiS55, TiS50, TiS45, TiS40, TiS20 and TiS10



TiX560 and TiX520



Fluke Connect App: iOS (4s and later with 8.0 operating system); Android (4.3 and up)




pc3000 FC PC Adapter/ SW3000 FC Software\*

**i410 and i1010 clamps sold separately**

**Includes:** 2-AA batteries (installed), 1x magnet hanging strap and information pack

**Compatible with CNX:** No

**\*Requirements:** SW3000 FC PC Software requires the PC adapter





# Compatibility chart

**FLUKE®**

This is an interactive pdf. Click on the tool name to reveal the Fluke Connect® product compatibility.

Fluke Connect® tools		Connects with:
3000 FC Digital Multimeter		
a3000 FC AC Current Clamp Meter		
a3001 FC AC Current Clamp w/iFlex		
a3002 FC AC/DC Current Meter		
<b>a3003 FC 2000 A DC Current Clamp</b>		
a3004 FC 4-20 mA DC Clamp Meter		
v3000 FC AC Voltage Meter		
v3001 FC DC Voltage Meter		
t3000 FC Temperature Meter		
805 FC Vibration Meter		
Thermal imagers	Ti400, Ti300 and Ti200	
	TiS65, TiS60, TiS55, TiS50, TiS45, TiS40, TiS20 and TiS10	
	TiX560 and TiX520	
	Ti125, Ti110, Ti105 and Ti100	
	Ti95 and Ti90	
Fluke Connect® accessories		
ir3000 FC Wireless Connector		
pc3000 FC PC Adapter		
Wireless FC SD Card		
Fluke Connect® software		
Fluke Connect App - iOS and Android™		
SW3000 FC PC Software		



3000 FC Digital Multimeter



Ti400, Ti300 and Ti200



TiS65, TiS60, TiS55, TiS50, TiS45, TiS40, TiS20 and TiS10



TiX560 and TiX520



Fluke Connect App: iOS (4s and later with 8.0 operating system); Android (4.3 and up)



pc3000 FC PC Adapter/ SW3000 FC Software\*

**Includes:** 1x i2000 2000A DC Current Clamp, 2-AA batteries (installed), one magnet hanging strap and information pack

**Compatible with CNX:** No

**\*Requirements:** SW3000 FC PC Software requires the PC adapter




# Compatibility chart

**FLUKE**®

This is an interactive pdf. Click on the tool name to reveal the Fluke Connect® product compatibility.

Fluke Connect® tools		Connects with:
3000 FC Digital Multimeter		
a3000 FC AC Current Clamp Meter		
a3001 FC AC Current Clamp w/iFlex		
a3002 FC AC/DC Current Meter		
a3003 FC 2000 A DC Current Clamp		
a3004 FC 4-20 mA DC Clamp Meter		
v3000 FC AC Voltage Meter		
v3001 FC DC Voltage Meter		
t3000 FC Temperature Meter		
805 FC Vibration Meter		
Thermal imagers	Ti400, Ti300 and Ti200	 3000 FC Digital Multimeter  Ti400, Ti300 and Ti200  TiS65, TiS60, TiS55, TiS50, TiS45, TiS40, TiS20 and TiS10  TiX560 and TiX520
	TiS65, TiS60, TiS55, TiS50, TiS45, TiS40, TiS20 and TiS10	
	TiX560 and TiX520	
	Ti125, Ti110, Ti105 and Ti100	
	Ti95 and Ti90	
Fluke Connect® accessories		 Fluke Connect App: iOS (4s and later with 8.0 operating system); Android (4.3 and up)  pc3000 FC PC Adapter/SW3000 FC Software*
ir3000 FC Wireless Connector		
pc3000 FC PC Adapter		<b>Includes:</b> 1x i20 4-20 mA DC Current Clamp, 2-AA batteries (installed), one magnet hanging strap and information pack <b>Compatible with CNX:</b> No <b>*Requirements:</b> SW3000 FC PC Software requires the PC adapter
Wireless FC SD Card		
Fluke Connect® software		
Fluke Connect App - iOS and Android™		
SW3000 FC PC Software		





# Compatibility chart

**FLUKE®**

This is an interactive pdf. Click on the tool name to reveal the Fluke Connect® product compatibility.

Fluke Connect® tools	
3000 FC Digital Multimeter	
a3000 FC AC Current Clamp Meter	
a3001 FC AC Current Clamp w/iFlex	
a3002 FC AC/DC Current Meter	
a3003 FC 2000 A DC Current Clamp	
a3004 FC 4-20 mA DC Clamp Meter	
v3000 FC AC Voltage Meter	
v3001 FC DC Voltage Meter	
t3000 FC Temperature Meter	
805 FC Vibration Meter	
Thermal imagers	Ti400, Ti300 and Ti200
	TiS65, TiS60, TiS55, TiS50, TiS45, TiS40, TiS20 and TiS10
	TiX560 and TiX520
	Ti125, Ti110, Ti105 and Ti100
	Ti95 and Ti90
Fluke Connect® accessories	
ir3000 FC Wireless Connector	
pc3000 FC PC Adapter	
Wireless FC SD Card	
Fluke Connect® software	
Fluke Connect App - iOS and Android™	
SW3000 FC PC Software	

**Connects with:**



3000 FC Digital Multimeter



Ti400, Ti300 and Ti200



TiS65, TiS60, TiS55, TiS50, TiS45, TiS40, TiS20 and TiS10



TiX560 and TiX520



Fluke Connect App: iOS (4s and later with 8.0 operating system); Android (4.3 and up)



pc3000 FC PC Adapter/SW3000 FC Software\*

**Includes:** TL224 Test leads (red/black), AC285 Alligator Clips (red/black), 2-AA batteries (installed), 1x magnet hanging strap and information pack

**Compatible with CNX:** No

**\*Requirements:** SW3000 FC PC Software requires the PC adapter



# Compatibility chart

**FLUKE**®

This is an interactive pdf. Click on the tool name to reveal the Fluke Connect® product compatibility.

Fluke Connect® tools	
3000 FC Digital Multimeter	
a3000 FC AC Current Clamp Meter	
a3001 FC AC Current Clamp w/iFlex	
a3002 FC AC/DC Current Meter	
a3003 FC 2000 A DC Current Clamp	
a3004 FC 4-20 mA DC Clamp Meter	
v3000 FC AC Voltage Meter	
v3001 FC DC Voltage Meter	
t3000 FC Temperature Meter	
805 FC Vibration Meter	
Thermal imagers	Ti400, Ti300 and Ti200
	TiS65, TiS60, TiS55, TiS50, TiS45, TiS40, TiS20 and TiS10
	TiX560 and TiX520
	Ti125, Ti110, Ti105 and Ti100
	Ti95 and Ti90
Fluke Connect® accessories	
ir3000 FC Wireless Connector	
pc3000 FC PC Adapter	
Wireless FC SD Card	
Fluke Connect® software	
Fluke Connect App - iOS and Android™	
SW3000 FC PC Software	

**Connects with:**



3000 FC Digital Multimeter



Ti400, Ti300 and Ti200



TiS65, TiS60, TiS55, TiS50, TiS45, TiS40, TiS20 and TiS10



TiX560 and TiX520



Fluke Connect App: iOS (4s and later with 8.0 operating system); Android (4.3 and up)



pc3000 FC PC Adapter/SW3000 FC Software\*

**Includes:** TL222 Test Leads (red/black), AC220 alligator clips (red/black), 2-AA batteries (installed), 1x magnet hanging strap and information pack

**Compatible with CNX:** No

**\*Requirements:** SW3000 FC PC Software requires the PC adapter





# Compatibility chart

**FLUKE**®

This is an interactive pdf. Click on the tool name to reveal the Fluke Connect® product compatibility.

Fluke Connect® tools	
3000 FC Digital Multimeter	
a3000 FC AC Current Clamp Meter	
a3001 FC AC Current Clamp w/iFlex	
a3002 FC AC/DC Current Meter	
a3003 FC 2000 A DC Current Clamp	
a3004 FC 4-20 mA DC Clamp Meter	
v3000 FC AC Voltage Meter	
v3001 FC DC Voltage Meter	
t3000 FC Temperature Meter	
805 FC Vibration Meter	
Thermal imagers	Ti400, Ti300 and Ti200
	TiS65, TiS60, TiS55, TiS50, TiS45, TiS40, TiS20 and TiS10
	TiX560 and TiX520
	Ti125, Ti110, Ti105 and Ti100
	Ti95 and Ti90
Fluke Connect® accessories	
ir3000 FC Wireless Connector	
pc3000 FC PC Adapter	
Wireless FC SD Card	
Fluke Connect® software	
Fluke Connect App - iOS and Android™	
SW3000 FC PC Software	

**Connects with:**



3000 FC Digital Multimeter



Ti400, Ti300 and Ti200



TiS65, TiS60, TiS55, TiS50, TiS45, TiS40, TiS20 and TiS10



TiX560 and TiX520



Fluke Connect App: iOS (4s and later with 8.0 operating system); Android (4.3 and up)



pc3000 FC PC Adapter/SW3000 FC Software\*

**Includes:** 2-AA batteries (installed), 80pk-1 K-Type Thermocouple Probe, 1x magnet hanging strap and information pack

**Compatible with CNX:** No

**\*Requirements:** SW3000 FC PC Software requires the PC adapter



# Compatibility chart

**FLUKE®**

This is an interactive pdf. Click on the tool name to reveal the Fluke Connect® product compatibility.

<b>Fluke Connect® tools</b>	
3000 FC Digital Multimeter	
a3000 FC AC Current Clamp Meter	
a3001 FC AC Current Clamp w/iFlex	
a3002 FC AC/DC Current Meter	
a3003 FC 2000 A DC Current Clamp	
a3004 FC 4-20 mA DC Clamp Meter	
v3000 FC AC Voltage Meter	
v3001 FC DC Voltage Meter	
t3000 FC Temperature Meter	
<b>805 FC Vibration Meter</b>	
Thermal imagers	Ti400, Ti300 and Ti200
	TiS65, TiS60, TiS55, TiS50, TiS45, TiS40, TiS20 and TiS10
	TiX560 and TiX520
	Ti125, Ti110, Ti105 and Ti100
	Ti95 and Ti90
<b>Fluke Connect® accessories</b>	
ir3000 FC Wireless Connector	
pc3000 FC PC Adapter	
Wireless FC SD Card	
<b>Fluke Connect® software</b>	
Fluke Connect App - iOS and Android™	
SW3000 FC PC Software	




**Connects with:**



Fluke Connect App:  
iOS (4s and later with 8.0 operating system);  
Android (4.3 and up)

<b>Includes:</b> USB Cable, storage case, belt holster and two (2) AA batteries
<b>Compatible with CNX:</b> No















# Compatibility chart

**FLUKE**®


This is an interactive pdf. Click on the tool name to reveal the Fluke Connect® product compatibility.

Fluke Connect® tools		Connects with:
3000 FC Digital Multimeter		
a3000 FC AC Current Clamp Meter		
a3001 FC AC Current Clamp w/iFlex		
a3002 FC AC/DC Current Meter		
a3003 FC 2000 A DC Current Clamp		
a3004 FC 4-20 mA DC Clamp Meter		
v3000 FC AC Voltage Meter		
v3001 FC DC Voltage Meter		
t3000 FC Temperature Meter		
805 FC Vibration Meter		
Thermal imagers	Ti400, Ti300 and Ti200	 3000 FC Digital Multimeter*   a3000 FC Clamp   a3001 FC Clamp   a3002 FC Module   a3003 FC Clamp   a3004 FC Clamp   v3000 FC Meter   v3001 FC Meter   t3000 FC Meter   Fluke Connect App: iOS (4s and later with 8.0 operating system); Android (4.3 and up)
	TiS65, TiS60, TiS55, TiS50, TiS45, TiS40, TiS20 and TiS10	
	TiX560 and TiX520	
	Ti125, Ti110, Ti105 and Ti100	
	Ti95 and Ti90	
Fluke Connect® accessories		
ir3000 FC Wireless Connector		
pc3000 FC PC Adapter		
Wireless FC SD Card		
Fluke Connect® software		
Fluke Connect App - iOS and Android™		
SW3000 FC PC Software		

**Includes:** AC power supply and battery pack charger, two battery packs, USB cable, HDMI video cable, hard carrying case, soft transport bag, hand strap and free download of SmartView® analysis and reporting software.

**Compatible with CNX:** Yes












**\*Requirements:** 3000 FC DMM must be in module mode to connect with Ti400, Ti300 and Ti200 [Infrared Cameras](#)



# Compatibility chart

**FLUKE®**

This is an interactive pdf. Click on the tool name to reveal the Fluke Connect® product compatibility.

Fluke Connect® tools		Connects with:	
3000 FC Digital Multimeter			
a3000 FC AC Current Clamp Meter		 <p>3000 FC Digital Multimeter*</p>	
a3001 FC AC Current Clamp w/iFlex		 <p>a3000 FC Clamp</p>	
a3002 FC AC/DC Current Meter		 <p>a3001 FC Clamp</p>	
a3003 FC 2000 A DC Current Clamp		 <p>a3002 FC Module</p>	
a3004 FC 4-20 mA DC Clamp Meter		 <p>a3003 FC Clamp</p>	
v3000 FC AC Voltage Meter		 <p>a3004 FC Clamp</p>	
v3001 FC DC Voltage Meter		 <p>v3000 FC Meter</p>	
t3000 FC Temperature Meter		 <p>v3001 FC Meter</p>	
805 FC Vibration Meter		 <p>t3000 FC Meter</p>	
Thermal imagers	Ti400, Ti300 and Ti200	 <p>Fluke Connect App: iOS (4s and later with 8.0 operating system); Android (4.3 and up)</p>	
	TiS65, TiS60, TiS55, TiS50, TiS45, TiS40, TiS20 and TiS10		
	TiX560 and TiX520		
	Ti125, Ti110, Ti105 and Ti100		
	Ti95 and Ti90		
Fluke Connect® accessories		<p><b>Includes:</b> Universal AC power adapter, lithium ion smart battery (TiS65/60 includes 2 each—other models 1 each), USB cable, Micro SD card (TiS65/60, TiS55 and TiS45), hard carrying case (TiS65/60, TiS55/50 and TiS45/40), soft transport bag, adjustable hand strap (TiS65/60, TiS55/50 and TiS45/40), quick reference guide and safety sheet. Software is available via download at <a href="http://www.fluke.com/smartviewdownload">www.fluke.com/smartviewdownload</a>. TiS65/60 models include a two-bay battery charger.</p>	
ir3000 FC Wireless Connector			
pc3000 FC PC Adapter			
Wireless FC SD Card		<p><b>Compatible with CNX:</b> No</p>	
Fluke Connect® software		<p><b>*Requirements:</b> 3000 FC DMM must be in module mode to connect with TiS65, TiS60, TiS55, TiS50, TiS45, TiS40, TiS20 and TiS10 <a href="#">Infrared Cameras</a></p>	
Fluke Connect App - iOS and Android™			
SW3000 FC PC Software			






# Compatibility chart











**FLUKE®**

This is an interactive pdf. Click on the tool name to reveal the Fluke Connect® product compatibility.

Fluke Connect® tools	
3000 FC Digital Multimeter	
a3000 FC AC Current Clamp Meter	
a3001 FC AC Current Clamp w/iFlex	
a3002 FC AC/DC Current Meter	
a3003 FC 2000 A DC Current Clamp	
a3004 FC 4-20 mA DC Clamp Meter	
v3000 FC AC Voltage Meter	
v3001 FC DC Voltage Meter	
t3000 FC Temperature Meter	
805 FC Vibration Meter	
Thermal imagers	Ti400, Ti300 and Ti200
	TiS65, TiS60, TiS55, TiS50, TiS45, TiS40, TiS20 and TiS10
	<b>TiX560 and TiX520</b>
	Ti125, Ti110, Ti105 and Ti100
	Ti95 and Ti90
Fluke Connect® accessories	
ir3000 FC Wireless Connector	
pc3000 FC PC Adapter	
Wireless FC SD Card	
Fluke Connect® software	
Fluke Connect App - iOS and Android™	
SW3000 FC PC Software	



**Connects with:**

 3000 FC Digital Multimeter*	 a3000 FC Clamp	 a3001 FC Clamp	 a3002 FC Module
 a3003 FC Clamp	 a3004 FC Clamp	 v3000 FC Meter	 v3001 FC Meter
 t3000 FC Meter	 Fluke Connect App: iOS (4s and later with 8.0 operating system); Android (4.3 and up)		

**Includes:** AC power supply and battery pack charger, two battery packs, USB cable, HDMI video cable, hard carrying case, adjustable neck and hand strap, Bluetooth® headset (where available) and free download of SmartView® analysis and reporting software.

**Compatible with CNX:** No

**\*Requirements:** 3000 FC DMM must be in module mode to connect with TiX560 or the TiX520 [Infrared Cameras](#)



# Compatibility chart

**FLUKE**®


This is an interactive pdf. Click on the tool name to reveal the Fluke Connect® product compatibility.

Fluke Connect® tools	
3000 FC Digital Multimeter	
a3000 FC AC Current Clamp Meter	
a3001 FC AC Current Clamp w/iFlex	
a3002 FC AC/DC Current Meter	
a3003 FC 2000 A DC Current Clamp	
a3004 FC 4-20 mA DC Clamp Meter	
v3000 FC AC Voltage Meter	
v3001 FC DC Voltage Meter	
t3000 FC Temperature Meter	
805 FC Vibration Meter	
Thermal imagers	Ti400, Ti300 and Ti200
	TiS65, TiS60, TiS55, TiS50, TiS45, TiS40, TiS20 and TiS10
	TiX560 and TiX520
	<b>Ti125, Ti110, Ti105 and Ti100</b>
	Ti95 and Ti90
Fluke Connect® accessories	
ir3000 FC Wireless Connector	
pc3000 FC PC Adapter	
Wireless FC SD Card	
Fluke Connect® software	
Fluke Connect App - iOS and Android™	
SW3000 FC PC Software	



**Connects with:**





Fluke Connect App:  
iOS (4s and later with 8.0 operating system);  
Android (4.3 and up)

Wireless FC SD Card

**Includes:** AC power supply and battery pack charger, two battery packs, for Ti125; one for the other models, USB cable, FC SD card, hard carrying case, soft transport bag, hand strap and free download of SmartView® analysis and reporting software.

**Compatible with CNX:** Yes





# Compatibility chart

**FLUKE®**

This is an interactive pdf. Click on the tool name to reveal the Fluke Connect® product compatibility.

Fluke Connect® tools	
3000 FC Digital Multimeter	
a3000 FC AC Current Clamp Meter	
a3001 FC AC Current Clamp w/iFlex	
a3002 FC AC/DC Current Meter	
a3003 FC 2000 A DC Current Clamp	
a3004 FC 4-20 mA DC Clamp Meter	
v3000 FC AC Voltage Meter	
v3001 FC DC Voltage Meter	
t3000 FC Temperature Meter	
805 FC Vibration Meter	
Thermal imagers	Ti400, Ti300 and Ti200
	TiS65, TiS60, TiS55, TiS50, TiS45, TiS40, TiS20 and TiS10
	TiX560 and TiX520
	Ti125, Ti110, Ti105 and Ti100
	Ti95 and Ti90
Fluke Connect® accessories	
ir3000 FC Wireless Connector	
pc3000 FC PC Adapter	
Wireless FC SD Card	
Fluke Connect® software	
Fluke Connect App - iOS and Android™	
SW3000 FC PC Software	



**Connects with:**





Fluke Connect App:  
iOS (4s and later with 8.0 operating system);  
Android (4.3 and up)

Wireless FC SD Card

**Includes:** Power adapter, battery pack, USB cable, FC SD card, hard carrying case, soft transport bag, hand strap and free download of SmartView® analysis and reporting software.

**Compatible with CNX:** No



# Compatibility chart


**FLUKE®**

This is an interactive pdf. Click on the tool name to reveal the Fluke Connect® product compatibility.

Fluke Connect® tools		Connects with:
3000 FC Digital Multimeter		
a3000 FC AC Current Clamp Meter		
a3001 FC AC Current Clamp w/iFlex		
a3002 FC AC/DC Current Meter		
a3003 FC 2000 A DC Current Clamp		
a3004 FC 4-20 mA DC Clamp Meter		
v3000 FC AC Voltage Meter		
v3001 FC DC Voltage Meter		
t3000 FC Temperature Meter		
805 FC Vibration Meter		
Thermal imagers	Ti400, Ti300 and Ti200	
	TiS65, TiS60, TiS55, TiS50, TiS45, TiS40, TiS20 and TiS10	
	TiX560 and TiX520	
	Ti125, Ti110, Ti105 and Ti100	
	Ti95 and Ti90	
Fluke Connect® accessories		
ir3000 FC Wireless Connector		
pc3000 FC PC Adapter		
Wireless FC SD Card		
Fluke Connect® software		
Fluke Connect App - iOS and Android™		
SW3000 FC PC Software		

Connects with:			
			
Fluke 789 ProcessMeter™	Fluke 289 Digital Multimeter	Fluke 287 Digital Multimeter	
			
Fluke Connect App: iOS (4s and later with 8.0 operating system); Android (4.3 and up)			
287, 289 and 789 compatible			
<b>Includes:</b> Instruction sheet			
<b>Compatible with CNX:</b> No			














# Compatibility chart

**FLUKE®**

This is an interactive pdf. Click on the tool name to reveal the Fluke Connect® product compatibility.

Fluke Connect® tools		Connects with:	
3000 FC Digital Multimeter			 3000 FC Digital Multimeter*
a3000 FC AC Current Clamp Meter		 a3000 FC Clamp	
a3001 FC AC Current Clamp w/iFlex			
a3002 FC AC/DC Current Meter		 a3002 FC Module	
a3003 FC 2000 A DC Current Clamp		 a3003 FC Clamp	
a3004 FC 4-20 mA DC Clamp Meter			 a3004 FC Clamp
v3000 FC AC Voltage Meter		 v3000 FC Meter	
v3001 FC DC Voltage Meter			 v3001 FC Meter
t3000 FC Temperature Meter		 t3000 FC Meter	
805 FC Vibration Meter			 SW3000 FC Software
Thermal imagers	Ti400, Ti300 and Ti200	<div style="border: 1px solid black; padding: 5px;"> <p><b>Includes:</b> SW3000 FC Software and instruction sheet</p> <p><b>Compatible with CNX:</b> No</p> <p><b>*Requirements:</b> 3000 FC DMM must be in module mode to connect with pc3000 FC PC Adapter</p> </div>	
	TiS65, TiS60, TiS55, TiS50, TiS45, TiS40, TiS20 and TiS10		
	TiX560 and TiX520		
	Ti125, Ti110, Ti105 and Ti100		
Ti95 and Ti90			
Fluke Connect® accessories			
ir3000 FC Wireless Connector			
pc3000 FC PC Adapter			
Wireless FC SD Card			
Fluke Connect® software			
Fluke Connect App - iOS and Android™			
SW3000 FC PC Software			




# Compatibility chart

**FLUKE**®


This is an interactive pdf. Click on the tool name to reveal the Fluke Connect® product compatibility.

Fluke Connect® tools	
3000 FC Digital Multimeter	
a3000 FC AC Current Clamp Meter	
a3001 FC AC Current Clamp w/iFlex	
a3002 FC AC/DC Current Meter	
a3003 FC 2000 A DC Current Clamp	
a3004 FC 4-20 mA DC Clamp Meter	
v3000 FC AC Voltage Meter	
v3001 FC DC Voltage Meter	
t3000 FC Temperature Meter	
805 FC Vibration Meter	
Thermal imagers	Ti400, Ti300 and Ti200
	TiS65, TiS60, TiS55, TiS50, TiS45, TiS40, TiS20 and TiS10
	TiX560 and TiX520
	Ti125, Ti110, Ti105 and Ti100
	Ti95 and Ti90
Fluke Connect® accessories	
ir3000 FC Wireless Connector	
pc3000 FC PC Adapter	
Wireless FC SD Card	
Fluke Connect® software	
Fluke Connect App - iOS and Android™	
SW3000 FC PC Software	


**Connects with:**



Ti125, Ti110, Ti105 and Ti100 [Infrared Cameras](#)



Ti95 and Ti90 [Infrared Cameras](#)



Fluke Connect App:  
iOS (4s and later with 8.0 operating system);  
Android (4.3 and up)

**Includes:** Instruction sheet, manual is available online at [www.fluke.com/fcsdcard](http://www.fluke.com/fcsdcard)

**Compatible with CNX:** No






# Compatibility chart

**FLUKE®**

This is an interactive pdf. Click on the tool name to reveal the Fluke Connect® product compatibility.

Fluke Connect® tools		Connects with:				
3000 FC Digital Multimeter		 3000 FC Digital Multimeter*	 a3000 FC Clamp	 a3001 FC Clamp	 a3002 FC Module	 a3003 FC Clamp
a3000 FC AC Current Clamp Meter						
a3001 FC AC Current Clamp w/iFlex						
a3002 FC AC/DC Current Meter						
a3003 FC 2000 A DC Current Clamp						
a3004 FC 4-20 mA DC Clamp Meter		 a3004 FC Clamp	 v3000 FC Meter	 v3001 FC Meter	 t3000 FC Meter	 805FC Vibration Tester
v3000 FC AC Voltage Meter						
v3001 FC DC Voltage Meter						
t3000 FC Temperature Meter		 Ti400, Ti300 and Ti200	 TiX560 and TiX520	 Ti125, Ti110, Ti105, Ti100, Ti95 and Ti90	 TiS65, TiS60, TiS55, TiS50, TiS45, TiS40, TiS20 and TiS10	 TiS65, TiS60, TiS55, TiS50, TiS45, TiS40, TiS20 and TiS10
Thermal imagers	Ti400, Ti300 and Ti200					
	TiS65, TiS60, TiS55, TiS50, TiS45, TiS40, TiS20 and TiS10					
	TiX560 and TiX520					
	Ti125, Ti110, Ti105 and Ti100					
Ti95 and Ti90						
Fluke Connect® accessories		 Wireless FC SD Card	 Fluke Connect App: iOS (4s and later with 8.0 operating system); Android (4.3 and up)			
ir3000 FC Wireless Connector						
pc3000 FC PC Adapter						
Wireless FC SD Card						
Fluke Connect® software		<b>Compatible with CNX:</b> No				
Fluke Connect App - iOS and Android™		<b>*Requirements:</b> 3000 FC DMM must be in module mode to connect with Fluke Connect App				
SW3000 FC PC Software		Users with iOS or Android phones can use the app to communicate with users with iOS or Android phones.				




# Compatibility chart


**FLUKE**®

This is an interactive pdf. Click on the tool name to reveal the Fluke Connect® product compatibility.


Fluke Connect® tools	
3000 FC Digital Multimeter	
a3000 FC AC Current Clamp Meter	
a3001 FC AC Current Clamp w/iFlex	
a3002 FC AC/DC Current Meter	
a3003 FC 2000 A DC Current Clamp	
a3004 FC 4-20 mA DC Clamp Meter	
v3000 FC AC Voltage Meter	
v3001 FC DC Voltage Meter	
t3000 FC Temperature Meter	
805 FC Vibration Meter	
Thermal imagers	Ti400, Ti300 and Ti200
	TiS65, TiS60, TiS55, TiS50, TiS45, TiS40, TiS20 and TiS10
	TiX560 and TiX520
	Ti125, Ti110, Ti105 and Ti100
	Ti95 and Ti90
Fluke Connect® accessories	
ir3000 FC Wireless Connector	
pc3000 FC PC Adapter	
Wireless FC SD Card	
Fluke Connect® software	
Fluke Connect App - iOS and Android™	
SW3000 FC PC Software	




**Connects with:**




3000 FC Digital Multimeter\*




a3000 FC Clamp




a3001 FC Clamp




a3002 FC Module




a3003 FC Clamp




a3004 FC Clamp




v3000 FC Meter



v3001 FC Meter



t3000 FC Meter



pc3000 FC PC Adapter

**Includes:** pc3000 FC PC Adapter and instruction sheet

**Compatible with CNX:** No

**\*Requirements:** 3000 FC DMM must be in module mode to connect with pc3000 FC PC Adapter and SW3000 FC PC Software

